

The FlarmLINK

A wifi dongle to connect any Flarm unit to a mobile device and update config files and databases via an App on your device

Price: 100€



10:12

  90%

BASIC CONFIGURATION

Recording interval

4 s

ICAO 24-bit addr. (HEX)

FFFFFF

Aircraft type

Glider/motor glider



Airborne threshold

AUTO

AUTO


Process Mode-C Targets

☒ Enable




You may also analyze range, view traffic and download IGC files from the Flarm via the App

CARP



- Antenna A
- Antenna B
- Minimum safe range (uncoverd)
- Minimum safe range (coverd)



Info

Downloading of IGC file has started.
Progress: 17%

Cancel

2	05.05.2023	03:44	3:58	00:14
3	05.05.2023	03:12	3:44	00:32
4	05.05.2023	02:37	3:1	00:24
5	05.05.2023	01:47	2:33	00:46
6	05.05.2023	00:54	1:7	00:13
7	05.05.2023	00:36	0:48	00:12
8	04.05.2023	23:13	0:38	01:25
9	04.05.2023	22:43	23:1	00:18
10	04.05.2023	21:55	22:11	00:16
11	04.05.2023	21:33	21:43	00:10
12	04.05.2023	21:20	21:32	00:12
13	04.05.2023	20:54	21:7	00:13